




PMS 7503 V7 PMS 7717 V5 PMS 660 V6 PMS 220 V9 PMS 259 V8 PMS 186 V11 PMS 7496 V10 PMS xxxx Vx

1 CAMPUS ZONE COLORS
Colors per UH Parking



Located at parking area entrances, background color standard white (no border), Field color varies with Zone
Font: Interstate Bold

Located at visitor parking area entrances, background color standard white (no border), field color to always match PMS 2925
Font: Interstate Bold

Located within parking space, background color standard white (no border), field color to always match PMS 2925

Located within parking space, background color standard white (no border), field color to always match PMS 7742C (RAL 6002 - Leaf Green)
Font: Interstate Regular

Located within parking space, background color standard white (no border), field color to always match PMS 7742C (RAL 6002 - Leaf Green)

2 SIGN TYPE - Parking Zone
Pavement Marking
Scale: as shown

3 SIGN TYPE - Visitor Parking
Pavement Marking
Scale: as shown

4 SIGN TYPE - HC Parking
Pavement Marking
Scale: as shown

5 SIGN TYPE - EV Parking
Pavement Marking
Scale: as shown

6 SIGN TYPE -Cart Parking
Pavement Marking
Scale: as shown

ISSUE	DATE
REFERENCE SET	04.08.2022
△ UPDATED	07.18.2022
△ UPDATED	10.10.2023






SIGN TYPE- ADA Parking Zone

Towing sign


Scale: 1/2" = 1'

1" minimum text size
color to always match
RAL 5002 Ultramarine Blue

1



2 ADA Parking Zone Towing Sign Application




SIGN TYPE- ADA Parking Zone Van Clearance Pavement Marking


Scale: 1/4" = 1'

Located adjacent to parking space,
color to always match PMS 2925

3



5 ADA Parking Zone Typical Application



SIGN TYPE- ADA Parking Zone Clearance Pavement Marking

Scale: 1/4" = 1'

Located adjacent to parking space,
color to always match PMS 2925

4

THESE DRAWINGS REPRESENT DESIGN INTENT ONLY AND INDICATE THE GRAPHIC DESIGNER'S INTENTIONS FOR PRODUCT SIZES, MATERIALS, FINISHES, AND INSTALLATION. THE CONTRACTOR IS REQUIRED TO PROVIDE SHOP DRAWINGS AND DETAILS FOR EACH SIGN TYPE AND, WHERE NECESSARY, TO PROVIDE DETAILED DRAWINGS STAMPED BY A LICENSED ENGINEER. SHOP DRAWINGS MUST BE APPROVED BY OWNER, ARCHITECT AND designLAB BEFORE FABRICATION.

- Written dimensions on these drawings have precedence over scaled dimensions. Notify Owner and designLAB of any variations from the dimensions, materials and conditions shown by these Design Guidelines prior to execution of any work.
- All sign copy in these Design Guidelines should be considered to be representative and is subject to change. Refer to final approved message schedule for final copy on all signs.
- Contractor shall notify Owner of any discrepancies in these documents immediately and shall not proceed or allow sub-fabricators to work in those areas until said discrepancies are resolved.
- Contractor shall submit the following for approval by Architect, Owner and designLAB prior to fabrication:
 - Shop drawings for all sign types including fabrication details, structural details and installation specifications, etc.
 - Location plans
 - Message schedule for all signs
 - Samples for all finishes and materials
 Partial or incomplete submittals will be rejected.
- Contractor shall conform to the intent of these drawings and specifications,
- Contractor shall be responsible for all required fees and permits for the fabrication and installation of signs and shall procure these before proceeding with work.
- All work shall be done in accordance with applicable codes and to the highest standards of trade practice. All sign components are to be straight, square, and true to one another. All material joints and seams are to be fabricated so that joints and seams are unnoticeable.
- Prior to commencing any work, Contractor who is awarded all or part of fabrication and/or installation shall review with Architect, Owner and designLAB the phasing of their work and secure approval from all parties.
- Contractor shall stake or mark all locations for approval by Owner. Contractor shall coordinate location verification with all underground utilities.

- Contractor shall provide removal, backfilling and proper disposal of existing signs at locations of new signs.
- Contractor shall keep site work area(s) clear of unnecessary debris and shall keep all work area(s) secured when unattended for the duration of the installation period.
- Contractor shall clean the site of all unnecessary debris and clean all glass, metals, and any other items before vacating the site and final Owner acceptance.
- At completion of the work, and as a condition for final payment, Contractor shall warrant all work and materials to be in full and complete accordance with the contract documents and agreement between Owner and Contractor; to be free from any and all defects and imperfections; and to fully meet the manufacturer's published performance criteria for the use and purposes for which each and every part is specified. The period of this warranty shall commence on the date on which the Owner determines the Contractor has met all Final Completion requirements. The period of said warranty shall last twelve (12) months unless otherwise specified.
- The Design Guidelines reflect the best efforts to interpret and apply standards established by the Americans with Disabilities Act of 1991 and as set forth by the Equal Opportunities Commission and the Department of Justice. The University will not be held responsible for the interpretation of ADA Laws by others.

PROJECT MATERIALS

- | | | |
|----------------------------|---------------------------------|-----------------------------|
| M1 Porcelain Enamel | M4 Direct Embed | M7 Basalt Slab Stone |
| M2 Aluminum | M5 Digital Printed Vinyl | |
| M3 Concrete | M6 Stainless Steel | |

PROJECT COLORS

- | | |
|---------------------------------------|---|
| P1 Paint red MP 12602 satin | P8 Paint teal PMS 7717 satin |
| P2 Paint D grey MP 10124 satin | P9 Paint L blue PMS 660 satin |
| P3 Paint L grey MP 03340 satin | P10 Paint tan PMS 7503 satin |
| P4 Paint black MP 33764 satin | P11 Paint purple PMS 259 satin |
| P5 Paint white MP 32071 satin | P12 Paint yellow PMS 7406 satin |
| P6 Paint magenta PMS 220 satin | P13 Paint HC blue PMS 2925 satin |
| P7 Paint green PMS 7496 satin | P14 Paint MP18214 Grey Patina Metallic |

- | | |
|--------------------------------------|--------------------------------|
| University of Houston at Katy | P1 Paint MP 12602 satin |
| University of Houston at Sugar Land | P2 Paint MP 10124 satin |
| University of Houston Coastal Center | P3 Paint MP 03340 satin |

DISTRICT COLORS

- P1** Athletics
- P6** Health
- P7** Technology Bridge
- P8** Arts
- P9** Professional
- P10** Cullen North
- P11** Residential
- P12** Central


- | | |
|---|--|
| V1 Vinyl, White | Avery 900 Supercast Opaque High Tac Adhesive (no substitutes) |
| V2 Vinyl, Black | 3M 220 Matte Black |
| V3 Vinyl, Blue HC | 3M 220 Olympic Blue |
| V4 Vinyl, Oracal 851 Premium Cast 019 Signal Yellow | |
| V5 Vinyl, Avery 900 Supercast Opaque Spectra Everglade | |
| V6 Vinyl, 3M 220 Periwinkle | |
| V7 Vinyl, 3M 220 Tan | |
| V8 Vinyl, Oracal 851 Premium Cast 415 Summer Plum | |
| V9 Vinyl, 3M 220 Raspberry | |
| V10 Vinyl, Avery 900 Supercast Opaque Olive Green | |
| V11 Vinyl, 3M 220 Geranium | |
| V12 Vinyl, Oracal 851 Premium Cast 730 Simple Grey | |

PROJECT TYPE STYLES

- | | | | |
|---|---|---|---|
| Interstate Regular | Interstate Bold | Helvetica Neue Bold/Medium/Regular/Light | Frutiger 65 Bold/55 Roman |
| abcdefghijklmnopqrstuvwxy
ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890 | abcdefghijklmnopqrstuvwxy
ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890 | abcdefghijklmnopqrstuvwxy
ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890 | abcdefghijklmnopqrstuvwxy
ABCDEFGHIJKLMNOPQRSTUVWXYZ
1234567890 |

PROJECT SYMBOLS

Interlocking Logo



UNIVERSITY OF HOUSTON

Campus Identification: Helvetica Neue Light Tracking +45



A Tobacco-Free Campus
Smoking is Prohibited Including E-Cigarettes



Electronic files provided by Owner Reverse against black field
Request vector file through UH Branding at <https://www.uh.edu/marcom/requests/logo/>

ISSUE	DATE
REFERENCE SET	04.08.2022
UPDATED	10.10.2023

University of Houston
Exterior Sign Program



General Notes
Colors / Materials /
Type / Symbols